m.↑

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/038,500	01/02/2002	David Castiel	10636/005002	6365

42389   7590   04/05/2007
DORT PATENT CORPORATION
Box 26219
Crystal City Station
Arlington, VA 22215

EXAMINER
DEAN, RAYMOND S

ART UNIT	PAPER NUMBER
2618	

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	04/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)
Office Action Summary	10/038,500	CASTIEL ET AL.
	Examiner	Art Unit	
	Raymond S. Dean	2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>16 January 2007</u>.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-7 and 11-13</u> is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1-7 and 11-13</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on <u>08 July 2005</u> is/are: a)☒ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

DETAILED ACTION

Response to Arguments

1.   Applicant's arguments with respect to claims 1, 5, and 11 have been considered but are moot in view of the new ground(s) of rejection.

Porcelli further teaches a first set of common orbits wherein a first portion of said first set of common orbits appears geosynchronous to the earth (Figure 1C, Figure 3A, Pages: 2 lines 12 – 16, 3 lines 2 – 6, 5 lines 1 – 3, 12 lines 10 – 17, 15 lines 18 – 21, 17 lines 3 – 9, there is a point in the orbits wherein the satellites are at apogee, which is the operational portion of the orbits, during this particular portion the satellites appear to be geostationary and hence geosynchronous to the earth) and a second portion of said first set of common orbits does not appear to be geosynchronous to the earth (Figure 1C, Figure 3A, Pages: 2 lines 12 – 16, 3 lines 2 – 6, 5 lines 1 – 3, 12 lines 10 – 17, 15 lines 18 – 21, 17 lines 3 – 9, each satellite goes from apogee to perigee thus causing the satellite to speed up which means that the satellite will not appear to be geostationary and hence geosynchronous to the earth).

Cellier further teaches a second set of common orbits wherein a first portion of said second set of common orbits appears to be geosynchronous to the earth (Figure 6, Column 5 lines 30 – 38, Column 6 lines 53 – 67, Column 7 lines 1 – 12, the parameters such as the semi-major axis, inclination, eccentricity, and argument of perigee can be a plurality of values thus creating a constellation like the constellations of Porcelli rendering a scenario wherein portions of the orbits appear geostationary and thus

geosynchronous to the earth, there a multiple groups of satellites, each group has an

associated ground track, the ground tracks need not be identical thus different from one

another), and a second portion of said second set of common orbits does not appear to

be geosynchronous to the earth (Column 5 lines 30 – 38, the parameters such as the

semi-major axis, inclination, eccentricity, and argument of perigee can be a plurality of

values thus creating a constellation like the constellations of Porcelli rendering a

scenario wherein each satellite goes from apogee to perigee thus causing the satellite

to speed up which means that the satellite will not appear to be geostationary and

hence geosynchronous to the earth).

Claim Rejections - 35 USC § 103

2.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

3.   Claims 1 – 4, 6 – 7, and 11 – 12 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Porcelli et al. (WO 98/51022) in view of Cellier (6,019,318).

Regarding Claim 1, Porcelli teaches a satellite system, comprising: a plurality of

satellites in inclined elliptical orbits, each said satellite communicating with a land mass

on the Earth (Figure 3A, Figure 3B, Page 10 lines 15 – 21, the satellites will

communicate with users and ground stations on the earth), at least a first group of said

satellites being in a first set of common orbits having the same, first, repeating ground track communicating with plural specified land mass on the earth (Figure 1C, Figure 3A, Figure 3B, Page 14 lines 14 – 17, Page 15 lines 5 – 11, the ground track covers a plurality of continents), wherein a first portion of said first set of common orbits appears geosynchronous to the earth (Pages: 2 lines 12 – 16, 3 lines 2 – 6, 5 lines 1 – 3, 12 lines 10 – 17, 15 lines 18 – 21, 17 lines 3 – 9, there is a point in the orbits wherein the satellites are at apogee, which is the operational portion of the orbits, during this particular portion the satellites appear to be geostationary and hence geosynchronous to the earth), and a second portion of said first set of common orbits does not appear to be geosynchronous to the earth (Pages: 2 lines 12 – 16, 3 lines 2 – 6, 5 lines 1 – 3, 12 lines 10 – 17, 15 lines 18 – 21, 17 lines 3 – 9, each satellite goes from apogee to perigee thus causing the satellite to speed up which means that the satellite will not appear to be geostationary and hence geosynchronous to the earth), each said satellite communicating during only a portion of the elliptical orbit closest to apogee (Page 12 lines 8 – 14).

Porcelli does not specifically teach a second group of said satellites being in a second set of common orbits having the same, second, repeating ground track, different than said first ground track, wherein a first portion of said second set of common orbits appears to be geosynchronous to the earth, and a second portion of said second set of common orbits does not appear to be geosynchronous to the earth, and communicating with second plural specified land masses on the earth.

Cellier teaches a second group of said satellites being in a second set of

common orbits having the same, second, repeating ground track, different than a first

ground track (Figure 6, Column 6 lines 53 – 67, Column 7 lines 1 – 12, there a multiple

groups of satellites, each group has an associated ground track, the ground tracks need

not be identical thus different from one another), wherein a first portion of said second

set of common orbits appears to be geosynchronous to the earth (Column 5 lines 30 –

38, the parameters such as the semi-major axis, inclination, eccentricity, and argument

of perigee can be a plurality of values thus creating a constellation like the

constellations of Porcelli rendering a scenario wherein portions of the orbits appear

geostationary and thus geosynchronous to the earth) and a second portion of said

second set of common orbits does not appear to be geosynchronous to the earth

(Column 5 lines 30 – 38, the parameters such as the semi-major axis, inclination,

eccentricity, and argument of perigee can be a plurality of values thus creating a

constellation like the constellations of Porcelli rendering a scenario wherein each

satellite goes from apogee to perigee thus causing the satellite to speed up which

means that the satellite will not appear to be geostationary and hence geosynchronous

to the earth), and communicating with second plural specified land masses on the earth

(Column 7 lines 1 – 4, worldwide coverage comprises plural specified land masses on

the earth).

Porcelli and Cellier both teach a satellite system comprising satellites in geo-

stationary, inclined, elliptical orbits with eccentricities of approximately .7 (See Cellier,

Column 5 lines 58 – 60) thus it would have been obvious to one of ordinary skill in the

art at the time the invention was made to modify the satellite system of Porcelli with the additional groups of satellites of Cellier for the purpose of providing worldwide coverage as taught by Cellier. The Porcelli system can be expanded beyond serving just one particular hemisphere.

Regarding Claim 5, Porcelli teaches a communication system, comprising: a plurality of ground stations, each including communication equipment for communicating with a satellite in orbit (Page 12 lines 18 – 21, Page 13 line 1, the ground stations will communicate with the operational satellite); and a plurality of satellites in respective orbits, said respective orbits including a first sub-constellation orbit with a plurality of satellites (Figure 3A, Figure 3B, Page 10 lines 15 – 21) therein, each of said plurality of satellites following a repeating ground track that repeats an integral number of times each day and each repeating ground track optimized for covering more than one specific land mass on the earth, including a first sub-constellation optimized for covering first land masses (Figure 1C, Figure 3A, Figure 3B, Page 14 lines 14 – 17, Page 15 lines 5 – 11, the ground track covers a plurality of continents) wherein at least one of said orbits of said orbits of the first sub-constellation is virtually geosynchronous for only a portion of the respective orbits (Pages: 2 lines 12 – 16, 3 lines 2 – 6, 5 lines 1 – 3, 12 lines 10 – 17, 15 lines 18 – 21, 17 lines 3 – 9, there is a point in the orbits wherein the satellites are at apogee, which is the operational portion of the orbits, during this particular portion the satellites appear to be geostationary and hence geosynchronous to the earth).

Porcelli does not teach a second sub-constellation optimized for covering second land masses, and a third sub-constellation optimized for covering third land masses, wherein at least one of said orbits of said all three sub-constellations are virtually geosynchronous for only a portion of each of said respective orbits and all three orbits are distinguished from each other.

Cellier teaches a second sub-constellation optimized for covering second land masses and a third sub-constellation optimized for covering third land masses (Figure 6, Column 6 lines 53 – 67, Column 7 lines 1 – 12, there a multiple groups of satellites, each group has an associated ground track, the ground tracks need not be identical thus different from one another, worldwide coverage comprises plural specified land masses on the earth), wherein at least one of said orbits of said all three sub-constellations are virtually geosynchronous for only a portion of each of said respective orbits (Column 5 lines 30 – 38, the parameters such as the semi-major axis, inclination, eccentricity, and argument of perigee can be a plurality of values thus creating a constellation like the constellations of Porcelli rendering a scenario wherein portions of the orbits appear geostationary and thus geosynchronous to the earth) and all three orbits are distinguished from each other (Figure 6, Column 6 lines 53 – 67, Column 7 lines 1 – 12, there a multiple groups of satellites, each group has an associated ground track, the ground tracks need not be identical thus different from one another and thus the orbits need not be identical to one another).

Porcelli and Cellier both teach a satellite system comprising satellites in geo-stationary, inclined, elliptical orbits with eccentricities of approximately .7 (See Cellier,

Column 5 lines 58 – 60) thus it would have been obvious to one of ordinary skill in the

art at the time the invention was made to modify the satellite system of Porcelli with the

additional groups of satellites of Cellier for the purpose of providing worldwide coverage

as taught by Cellier. The Porcelli system can be expanded beyond serving just one

particular hemisphere.

Regarding Claim 11, Porcelli teaches a constellation of satellites, comprising:

plurality of satellites in elliptical orbits around the earth with the earth at one focus of the

elliptical orbit (Figure 3A, Figure 3B, Page 10 lines 15 – 21), and each elliptical orbit

having an apogee and a perigee (Figure 3A, Figure 3B), each said satellite

communicating with a portion of the Earth (Page 10 lines 15 – 21, the satellites will

communicate with users and ground stations on the earth), at least a first group of said

satellites being in common orbits having the same, first, ground track (Figure 3A, Figure

3B, Page 14 lines 14 – 17), wherein each of said satellites is active for only a

predetermined portion of its orbiting time, closest to its apogee portion (Page 12 lines 8

– 14), wherein said active predetermined portion is during a period wherein a first

portion of said orbits appear to be virtually geosynchronous with the earth (Pages: 2

lines 12 – 16, 3 lines 2 – 6, 5 lines 1 – 3, 12 lines 10 – 17, 15 lines 18 – 21, 17 lines 3 –

9, there is a point in the orbits wherein the satellites are at apogee, which is the

operational portion of the orbits, during this particular portion the satellites appear to be

geostationary and hence geosynchronous to the earth), and wherein a second portion

of said orbits do not appear to be virtually geosynchronous with the earth (Pages: 2

lines 12 – 16, 3 lines 2 – 6, 5 lines 1 – 3, 12 lines 10 – 17, 15 lines 18 – 21, 17 lines 3 –

9, each satellite goes from apogee to perigee thus causing the satellite to speed up

which means that the satellite will not appear to be geostationary and hence

geosynchronous to the earth), each said satellite communicating during only a portion of

the elliptical orbit closest to apogee (Page 12 lines 8 – 14), and wherein the satellites in

said first group are spaced such that when a first satellite in the sub-constellation

reaches its inactive portion, another satellite in the sub-constellation becomes active

(Page 17 lines 3 – 16).

Porcelli does not teach a second group of said satellites being in common orbits

having the same, second, ground track, different than said first ground track, wherein

said active predetermined portion is during a period wherein a first portion of said

respective orbits appear to be virtually geosynchronous with the earth and wherein a

second portion of said respective orbits do not appear to be virtually geosynchronous

with the earth.

Cellier teaches a second group of said satellites being in common orbits having

the same, second, ground track, different than said first ground track (Figure 6, Column

6 lines 53 – 67, Column 7 lines 1 – 12, there a multiple groups of satellites, each group

has an associated ground track, the ground tracks need not be identical thus different

from one another), wherein said active predetermined portion is during a period wherein

a first portion of said respective orbits appear to be virtually geosynchronous with the

earth (Column 5 lines 30 – 38, the parameters such as the semi-major axis, inclination,

eccentricity, and argument of perigee can be a plurality of values thus creating a

constellation like the constellations of Porcelli rendering a scenario wherein portions of

the orbits appear geostationary and thus geosynchronous to the earth) and wherein a second portion of said respective orbits do not appear to be virtually geosynchronous with the earth (Column 5 lines 30 – 38, the parameters such as the semi-major axis, inclination, eccentricity, and argument of perigee can be a plurality of values thus creating a constellation like the constellations of Porcelli rendering a scenario wherein each satellite goes from apogee to perigee thus causing the satellite to speed up which means that the satellite will not appear to be geostationary and hence geosynchronous to the earth).

Porcelli and Cellier both teach a satellite system comprising satellites in geo-stationary, inclined, elliptical orbits with eccentricities of approximately .7 (See Cellier, Column 5 lines 58 – 60) thus it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the satellite system of Porcelli with the additional groups of satellites of Cellier for the purpose of providing worldwide coverage as taught by Cellier. The Porcelli system can be expanded beyond serving just one particular hemisphere.

Regarding Claim 2, Porcelli in view of Cellier teaches all of the claimed limitations recited in Claim 1. Porcelli further teaches wherein said only a portion of the orbit closest to apogee is approximately 60% of its total orbiting time (Page 16 lines 19 – 21, Page 17 lines 1 – 2, the orbital time is 12 hours, a three satellite system will have 8 loop hours, which is approximately 60% of said orbital time).

Regarding Claim 3, Porcelli in view of Cellier teaches all of the claimed limitations recited in Claim 1. Porcelli further teaches wherein said first land mass locations

represent populated portions on the earth (Figure 1C, the ground track covers a plurality of continents, said continents comprise populated portions on the earth).

Regarding Claim 4, Porcelli in view of Cellier teaches all of the claimed limitations recited in Claim 3. Cellier further teaches a third group of said satellites being in common orbits having the same, third ground track, different than a first and second ground track (Figure 6, Column 6 lines 53 – 67, Column 7 lines 1 – 12, there a multiple groups of satellites, each group has an associated ground track, the ground tracks need not be identical thus different from one another).

Regarding Claims 6, 13, Porcelli in view of Cellier teaches all of the claimed limitations recited in Claims 1, 11. Cellier further teaches wherein the apogee of the satellites are approximately 3/4 the altitude or less of geo stationary satellites (Column 5 lines 30 – 36, the altitude of the orbit is defined by the length of the semi-major axis and the eccentricity, Cellier teaches parameter choices, such as the choices of a semi-major axis and eccentricity, can be made to create a family of orbits. The system designer can thus select different values for the semi-major axis and the eccentricity thus the altitude can have different values such as approximately ¾ or less of the altitude of geo-stationary satellites).

Regarding Claim 7, Porcelli in view of Cellier teaches all of the claimed limitations recited in Claim 1. Porcelli further teaches wherein each ground track covers three continents (Figure 1C, Page 15 lines 5 – 11).

Regarding Claim 12, Porcelli in view of Cellier teaches all of the claimed limitations recited in Claim 11. Porcelli further teaches wherein a first satellite is

descending when it becomes inactive, and another satellite is ascending when it becomes active (Page 5 lines 1 – 9, the operating satellite becomes inactive when it is replaced with the next satellite entering the same region).

Conclusion

4.   Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond S. Dean whose telephone number is 571-272-7877. The examiner can normally be reached on Monday-Friday 6:00-2:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward F. Urban can be reached on 571-272-7899. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Raymond S. Dean
March 29, 2007

3-30-07

Lana N. Le
Primary Examiner
Technology Center 2600